

STA-U2
RGB Cardioid Condenser USB Microphone

User Manual

Foreword

Thanks for purchasing Comica RGB cardioid condenser USB microphone STA-U2

Main Features

- . 25mm Cardioid Condenser Mic for Studio Quality
- . 48kHz/24bit Record, Intelligent Denoise
- . USB-C Digital Output Port, Widely Compatible with Computer and Phone
- . Dynamic Radiant RGB Light with 6 Unique RGB Effects
- . Built-in Sound Card with 3 Different Sound Presets
- . Support Stepless Gain and Monitor Volume Control
- . Support Real-time Monitoring and One-touch Muting
- . Internal Pop Filter Integrated Capsule Shock Mounting
- . Full Metal Material, Stable and Durable

Notice

- ⚠ Please purchase corresponding USB-Lightning adapter cables by yourself when connect to Lightning port devices
- ⚠ Please aim the front of the microphone at the sound source to get an excellent recording
- ⚠ Do not use the equipment in the vicinity of heat source or interference source, such as radiator, oven, refrigerator or air conditioner
- ⚠ This product is a high-precision product, please prevent it from dropping or colliding
- ⚠ Do not use the equipment in the rain or in the damp environment to avoid short-circuit danger
- ⚠ Please keep the product in the dry environment


Packing List

Main Part:



Mic

Accessories:




2 in 1 Charging/Output Cable



User Manual



Warranty Card



1. Mic

2. Muting Button

Touch to mute. The indicator shows blue when not muting; it shows red when muting

3. Sound Presets Switch Button

Touch to switch podcast/streaming/sing sound presets. The indicator shows blue in podcast mode; it shows green in streaming mode; it shows cyan in sing mode

4. Gain Control Adjustment Button

5. Monitoring Volume Control Button

6. Light Effects Switch Button


Long press to turn on/off and short press to switch Audio Dynamic Light/Comica Orange/Ocean Waves/Breathing RGB Effect/RGB Slow Wave/Spinning Rainbow effect

7. Monitoring Headphone Port

8. USB Output Port

Usage

Connect the STA-U2 to phones/computers through 2 in 1 audio cables and corresponding adapter cables. Choose whether to monitor or not.



Please purchase corresponding USB-Lightning adapter cables by yourself when connect to Lightning port devices.

Specifications

Polar Pattern	Cardioid
Sensitivity	-33dB \pm 2dB
Frequency Response	20Hz~20kHz
Maximum SPL	120dB
S/N	70dB
Equivalent Noise	24dBA
Dynamic Range	96dB
Sampling Rate	48kHz
Bit Depth	24-bit
Output Interface	USB-C
Monitoring Port	3.5mm TRS/TRRS
Net Weight	263g
Dimension	55 x 55 x 170mm
Operating Temperature	0 C ~ +50 C
Storage Temperature	-20 C ~ +60 C




Website: comica-audio.com

Facebook: Comica Audio Tech Global

Instagram: Comica Audio

YouTube: Comica Audio



STA-U2
RGB心型电容USB麦克风

用户使用手册

前言

感谢您购买科唛STA-U2

产品主要功能

- . 25mm心型电容咪头，专业棚级音质
- . 48kHz/24bit录音，智能降噪
- . USB-C数字输出，广泛兼容电脑、手机
- . 动态RGB模块设计，6种灯效模式可控
- . 内置声卡，3种声音预设选择
- . 支持无级增益及监听音量可调
- . 支持实时监听，一键静音
- . 机内防风和减震设计，有效滤除噪音
- . 全金属制造，超强屏蔽性

注意事项


- ⚠ 搭配Lightning接口设备时，请自行购买对应的USB-Lightning转接线/转接头
- ⚠ 为获得更好的录音效果，请将麦克风的正面对准音源
- ⚠ 请勿将本设备放置在热源或干扰源附近使用，如散热器、烤箱、冰箱、空调等
- ⚠ 本产品属于高精密仪器类产品，请避免使用时掉落、碰撞或重击
- ⚠ 不要在雨中或潮湿的环境中使用该设备，否则会有短路的危险
- ⚠ 请在干燥环境中对该产品进行保存

主体:



麦克风

配件:




二合一音频连接线



说明书



保修卡



1. 麦克风咪头

2. 静音触控按键

轻触切换静音。正常录制亮蓝灯；静音亮红灯

3. 声音预设切换触控按键

轻触切换播客/直播/唱歌声音预设。播客模式下，亮蓝色；直播模式下，亮绿色；唱歌模式下，亮青色

4. 麦克风增益调节旋钮

5. 监听音量调节旋钮

6. 灯光调节按键


长按开启/关闭，短按切换音频动态/科唛橙/海浪/呼吸灯/RGB慢波/旋转彩虹六种灯光效果

7. 监听耳机插孔

8. USB输出接口

使用方法

通过二合一音频连接线和相关音频转接线/转接头连接麦克风和手机/电脑，根据个人需求选择是否监听



搭配Lightning接口设备时，请自行购买对应的USB-Lightning转接线/转接头

技术规格

指向性	心型指向
咪头灵敏度	-33dB±2dB
麦克风频率响应	20Hz ~ 20kHz
最大声压级	120dB
信噪比	70dB
等效噪声	24dBA
动态范围	96dB
采样率	48kHz
位深	24-bit
输出接口	USB-C
监听接口	3.5mm TRS/TRRS
产品重量	263g
产品尺寸	55 x 55 x 170mm
工作温度	0℃ ~ +50℃
储存温度	-20℃ ~ +60℃



扫二维码关注
科唛官方公众号



COMICA科唛



COMICA科唛



COMICA科唛



COMICA科唛

邮箱：support@comica-audio.com

电话：400-8303-981

网址：comica-audio.com

版权及科唛商标归咔莱科技有限公司所有